



centriq

MINIMALIST HI-TECH



PROLIGHT
designed to create

POINT





Sophisticated technology meets minimalist design: CENTRIQ puts the lighting effect first, delivering optimal performance with a discreet presence.

centriq



centriq

centriq in - the perfect track light

Discrete, powerful and versatile: its compact design with power supply integrated in the track adapter minimises its visual impact, and it is combined with its powerful and efficient LED engine to make CENTRIQ IN the perfect solution for a wide range of applications, taking full advantage of the universal adaptability to three-phase tracks.



centriq downlight

These recessed downlights come with square or round frames for seamless ceiling integration, with optional concrete-recessed housings. The square version can be grouped into rectangular assemblies, while both versions offer a clean appearance and full flexibility through adjustable, pivotable heads. Their timeless housing supports both general lighting and precise accent lighting (SUPER SPOT down to 8°).

DIMENSIONS
H 105: ø 120 mm

LIGHT OUTPUT
494 - 3739 lm

POWER
8.2 - 34 W

LED / CCT
2700 K, 3000 K, 3500 K, 4000 K
TUNABLE WHITE: 2700 - 6500 K

DIMENSIONS
H 92: ø 29 mm
H 104: ø 42 mm
H 129: ø 56 mm

LIGHT OUTPUT
230 - 925 lm

POWER
4.3 - 11.5 W

LED / CCT
2700 K, 3000 K, 4000 K

DIMENSIONS
H 136: ø 65 mm
H 166: ø 83 mm

LIGHT OUTPUT
490 - 4312 lm

POWER
8.2 - 40.2 W

LED / CCT
2700 K, 3000 K, 3500 K, 4000 K
TUNABLE WHITE: 2700 - 6500 K

centriq



centriq



recessed



CENTRIQ ROUND



CENTRIQ SQUARE

track



CENTRIQ IN



CENTRIQ
CLICKTRACK

surface



CENTRIQ IN





centriq



centriq flex

The FLEX version enables manual adjustment of the beam angle, ranging from a narrow 12° to a wide 45°, all from a single spotlight. This feature is particularly useful in situations where precise light control is required.





PROLICHT

designed to create



Precision lighting,
refined to its essence.
Configure your own
CENTRIQ.