



glorious —

GEOMETRIC PROGRESSION



PROLIGHT
designed to create

SHAPE





light, with presence

—
GLORIOUS introduces bold geometric forms that give light a clear architectural voice. Defined by strong lines and softened edges, it creates compositions that are both expressive and controlled, shaping space through form, scale and rhythm.

glorious



glorious



glorious



glorious



glorious



The GLORIOUS family is based on three fundamental geometric shapes that transform light into architectural features. The circular version creates balanced, continuous compositions; the triangular version introduces dynamic, spatial accents; and the square version defines structure and clarity. All geometries share the same system logic and can be combined consistently across different scales and applications.

glorious

glorious silhouette

The Glorious Silhouette and Quantum Silhouette are ultra-slim pendant luminaires with a minimalist, lightweight design. Based on circular and square geometries, they are available in various sizes. Installed horizontally, they can be combined in single or multi-level compositions to create sculptural lighting arrangements with a clear sense of rhythm, depth and spatial orientation.



suspended



GLORIOUS SILHOUETTE

DIMENSION
H 28: ø 500 - 1500 mm

LIGHT OUTPUT
1097 - 3615 lm

POWER
19.8 - 62.04 W

LED / CCT
2700 K, 3000 K



QUANTUM SILHOUETTE



DIMENSION
H 28: 500 - 1000 mm

LIGHT OUTPUT
1115 - 2548 lm


POWER
22.44 - 48.84 W

LED / CCT
2700 K, 3000 K


a family of icons recessed



surface



suspended



GLORIOUS

DIMENSION
H 81 - 120: ø 615 - 5400 mm

LIGHT OUTPUT
1777 - 78531 lm

POWER
18.81 - 576.93 W

LED / CCT
2700 K, 3000 K,
3500 K, 4000 K
TUNABLE WHITE:
2700 k - 6500 K

QUANTUM

DIMENSION
H 110 - 150: 800 - 1400 mm

LIGHT OUTPUT
3319 - 13257 lm

POWER
39.16 - 120.38 W

LED / CCT
2700 K, 3000 K,
3500 K, 4000 K


VICTORY

DIMENSION
H 120 - 150:
800 x 752 - 1421 x 1292 mm


LIGHT OUTPUT
2489 - 9943 lm

POWER
29.37 - 90.29 W


LED / CCT
2700 K, 3000 K,
3500 K, 4000 K



Sound-absorbing panels are available as an option for the whole GLORIOUS family. The acoustic versions combine visual clarity with acoustic comfort, and come in a selection of PROLICHT acoustic colours for either seamless integration or contrast.




glorious





glorious



glorious



PROLICHT

designed to create



Light, shaped
with confidence.
Configure your own
GLORIOUS.