



invader _____

ENLIGHTEN
YOUR COMFORT ZONE



PROLIGHT
designed to create

POINT





Invader brings colour into architecture with quiet confidence. Designed to add a subtle layer of emotion and character to interior spaces, it transforms classic recessed lighting into a deliberate design gesture. Always supported by high-quality, controlled light, where expression and performance work as one.

invader



invader



invader



invader



invader



invader



invader

trimless



INVADER

DIMENSION

H 49 - 98: $\varnothing$ 39 - 73 mm

LIGHT OUTPUT

141 - 1004 lm

POWER

2.16 - 13.85 W

LED / CCT

2700 K, 3000 K, 3500 K,
4000 K - DIM 2 WARM



INVADER COMPACT

DIMENSION

H 52: $\varnothing$ 75 mm

LIGHT OUTPUT

510 - 1123 lm

POWER

10.96 - 11.97 W

LED / CCT

2700 K, 3000 K, 3500 K,
4000 K - DIM 2 WARM



INVADER MICRO-DOT

DIMENSION

H 49 - 71: $\varnothing$ 39 mm

LIGHT OUTPUT

283 - 462 lm

POWER

6.4 - 9.08 W

LED / CCT

2700 K, 3000 K,
3500 K, 4000 K

recessed



INVADER

DIMENSION

H 49 - 105: $\varnothing$ 28 - 85 mm

LIGHT OUTPUT

141 - 986 lm

POWER

2.16 - 14 W

LED / CCT

2700 K, 3000 K, 3500 K,
4000 K - DIM 2 WARM



INVADER COMPACT

DIMENSION

H 52 - 53: $\varnothing$ 75 - 95 mm

LIGHT OUTPUT

510 - 1123 lm

POWER

10.96 - 11.97 W

LED / CCT

2700 K, 3000 K, 3500 K,
4000 K - DIM 2 WARM



INVADER MICRO-DOT

DIMENSION

H 49 - 71: $\varnothing$ 45 mm

LIGHT OUTPUT

283 - 462 lm

POWER

6.4 - 9.08 W

LED / CCT

2700 K, 3000 K,
3500 K, 4000 K

suspended



HANGOVER
DIMENSION
H 150 - 450: ø 40 - 75 mm
LIGHT OUTPUT
684 - 2583 lm
POWER
9.04 - 29.7 W
LED / CCT
2700 K, 3000 K,
3500 K, 4000 K



HANGOVER PLUG
DIMENSION
H 150 - 450: ø 28 - 40 mm
LIGHT OUTPUT
381 - 1919 lm
POWER
6.4 - 19.48 W
LED / CCT
2700 K, 3000 K,
3500 K, 4000 K



INVADER
DIMENSION
H 125: ø 75 mm
LIGHT OUTPUT
830 - 939 lm
POWER
9.8 W
LED / CCT
2700 K, 3000 K,
3500 K, 4000 K

surface/spots




INVADER SQUARE
DIMENSION
H 125: 75 x 75 mm
LIGHT OUTPUT
839 - 949 lm
POWER
9.8 W
LED / CCT
2700 K, 3000 K,
3500 K, 4000 K



INVADER ON
DIMENSION
H 44 - 300: ø 59 - 75 mm
LIGHT OUTPUT
660 - 1057 lm
POWER
8.92 - 13.01 W
LED / CCT
2700 K, 3000 K, 3500 K,
4000 K - DIM 2 WARM



INVADER WALL
DIMENSION
H 150 - 300: ø 75 mm
LIGHT OUTPUT
415 - 1038 lm
POWER
6.53 - 13.33 W
LED / CCT
2700 K, 3000 K, 3500 K,
4000 K - DIM 2 WARM





PROLICHT
designed to create



Light, shaped
through composition.
Configure your
own Invader.